



TurnOGate

Four arm turnstile



The four arm turnstile is the solution for all managers who, by choice or necessity, have a limited budget.
It is effective and economical.
It is easily installed and does not require any special technical operations.
It guarantees clean, quick work without the need for electrical preparations or construction.
Also available with shopping carts passage, equipped with anti-panic safety release.

Installation of the four arm turnstile does not require any connection to mains.




02

our customers ...

Carrefour, DIA, Dial, Expert, PAM, Autogrill, Fini.

All information regarding: uprights, bars, plastics and spare-parts...

from page 56 



four arm turnstile

base composition



safety turnstile

include:
head complete with hub
anti-panic, arms and bolts,
frame complete with ring nut
for base fastening to the ground.
Weight: 25 kg.

diametro bracci 1200 mm

code 242 456 710

standard carts passage



carts passage

include:
chrome plated bar,
4 uni-directional devices,
nuts, washers and bolts..
Weight: 2,4 kg.

1000 mm

code 232 802 606

sign plate



turnstile sign plate holder

Weight: 0,5 kg.

code 532 457 010

Components: codes and technical specifications

uprights

page 57



plastics

page 59



bars

page 56



dividers

page 56



The horizontal arms
are shipped dismantled
to reduce overall encumbrance.



double arc guide
include:
upright
Weight: 6 kg.

altezza montante 1120 mm

code 242 851 004



anti-panic carts passage
includes:
double guide arc complete with upright, anti-panic opening safety device, mechanical safety release device bar complete with no-return flaps rotation device
Weight: 12 kg.

code 242 456 810



carts passage
include:
chrome plated bar,
6 uni-directional devices,
nuts, washers and bolts.
Weight: 3,6 kg.

1500 mm


code 232 802 604



carts passage
include:
chrome plated bar,
8 uni-directional devices,
nuts, washers and bolts.
Weight: 4,8 kg.

2000 mm

code 232 802 605




carts passage sign table
Weight: 0,1 kg.

code 530 800 604



upright extension D48
include:
fixing sleeve and black plastic sleeve.
Weight: 0,5 kg

code 232 851 004



Safety and service device

In case of emergency, the four arm turnstile can be turned in the direction opposite the entry direction. By rotating on its upright, it can be moved to make more space in case a larger passageway were needed (e.g. for service personnel, large objects).

